



GLIDEROL
garage doors

Gliderol™ Industrial Roll•a•Door

Industrial continuous sheet curtain
roller door



Gliderol Industrial Roll•a•Door

Industrial continuous sheet curtain roller door

THE GLIDEROL INDUSTRIAL ROLL•A•DOOR IS DESIGNED AND MADE TO SUIT ALL APPLICATIONS INCLUDING COMMERCIAL AND INDUSTRIAL BUILDINGS.

Designed to provide reliable service for years to come, the Industrial Roll•a•Door offers counterbalanced spring assembly, allowing smooth and reliable operation of your Gliderol door.

Fitted with durable weatherseal, the Industrial Roll•a•Door has been specifically designed and manufactured for Australian weather conditions. Adding style and character to any building, if you're looking for a secure, reliable and strong roller door then Gliderol's Industrial Roll•a•Door is the right roller door for your business.

Features & Benefits

- Strong and reliable
- Durable weatherseal
- Suits most openings
- Meets all your needs

Gliderol Roll•a•Door Features

Roller Door Curtain

Gliderol roll-formed steel sheet panels provide strength and quality in design to enhance overall appearance.

Polyglide

Developed by Gliderol specifically for effortless roller door operation with minimal noise and friction. Polyglide has been tested for 22 000 cycles of continuous use, the equivalent of more than 20 years of service based on three cycles a day.

Drum Wheel

The Gliderol nylon drum wheel has been developed over time into a hard-wearing high performance component.

Spring Assistance

A Gliderol spring assisted mechanism offers precise balance between the weight of the curtain and the upward pull of the springs, regardless of the position of your door.

Direct Chain Wheel

Constructed of glass reinforced nylon, the direct chain wheel ensures safety is maintained at all times.

Bottom Rail

The aluminium bottom rail has been specifically designed to reinforce your Gliderol Roll•a•Door against intruder penetration.

Operation

Compatible with IGDU operator. This heavy duty industrial operator has been specifically engineered for large doors and features Gliderol's state-of-the-art obstruction detection system. Please see our Gliderol Operators brochure for more information.





Australian Offices

South Australia Head Office

32 Jacobsen Crescent
Holden Hill SA 5088
Telephone: (08) 8261 9633
Facsimile: (08) 8266 4712

Service & Installation Centre
51 Jacobsen Crescent
Holden Hill SA 5088
Telephone: (08) 8261 9633
Facsimile: (08) 8266 4712

New South Wales

45 Sammut Street
Smithfield NSW 2164
Telephone: (02) 9725 1033
Facsimile: (02) 9725 1115

19 Balook Drive
Beresfield NSW 2322
Telephone: (02) 4966 8500
Facsimile: (02) 4966 8511

Unit 2, 1 Luso Drive
Unanderra NSW 2526
Telephone: (02) 4272 3220
Facsimile: (02) 4272 3084

Queensland

241 Elliott Road
Banyo QLD 4014
Telephone: (07) 3260 9000
Facsimile: (07) 3260 9055

Unit 1, 9 Ramly Drive
Burleigh Heads QLD 4220
Telephone: (07) 5508 7400
Facsimile: (07) 5508 7444

Victoria

23 Kitchen Road
Dandenong VIC 3175
Telephone: (03) 9793 5455
Facsimile: (03) 9706 8492

35 Leather Street
Geelong VIC 3215
Telephone: (03) 5224 2499
Facsimile: (03) 5224 1299

Western Australia

Unit 7, 33 Denning Road
Bunbury WA 6230
Telephone: (08) 9721 7600
Facsimile: (08) 9791 7611

21 Prindville Drive
Wangara WA 6065
Telephone: (08) 9409 3000
Facsimile: (08) 9409 3200

Tasmania

C/o 23 Kitchen Road
Dandenong VIC 3175
Telephone: (03) 9793 5455
Facsimile: (03) 9706 8492